according to Regulation (EC) No 1907/2006 2015/830

Kühlflüssigkeit HKF 15.1 P-120 Eco

Revision date: 30.10.2020 Page 1 of 8 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Kühlflüssigkeit HKF 15.1 P-120 Eco 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Coolant Industrial uses Uses advised against No information available. 1.3. Details of the supplier of the safety data sheet Company name: Conzelmann Schweißhandelsgesellschaft mbH Street: Siemensstrasse 9 Place: D-89331 Burgau Telephone: +49 (0) 8222 413880 Telefax: +49 (0) 8222 41388-20 office@conzelmann-gmbh.de e-mail: Contact person: main office Telephone: +49 (0) 8222 413880 e-mail: office@conzelmann-gmbh.de +49(0) 551 - 1 92 40 (GIZ-Nord, 24h) 1.4. Emergency telephone number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008. There is no ingredient on the SVHC list

2.2. Label elements

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Ingredient: Water. Propane-1,2-diol Inhibitor

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures are necessary.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

according to Regulation (EC) No 1907/2006_2015/830

Kühlflüssigkeit HKF 15.1 P-120 Eco

Revision date: 30.10.2020

Page 2 of 8

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry extinguishing powder, alcohol resistant foam, Carbon dioxide (CO2), Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. In case of fire: Wear self-contained breathing apparatus. Special protective equipment for firefighters Protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. See section 8. Provide adequate ventilation. Do not breathe gas/vapour/aerosol. Avoid contact with eyes and skin.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Shafts and sewers must be protected from entry of the product.

6.3. Methods and material for containment and cleaning up

Provide fresh air.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006_2015/830

Kühlflüssigkeit HKF 15.1 P-120 Eco

Revision date: 30.10.2020

Advice on safe handling

See section 8.

Wear personal protection equipment (refer to section 8).

Do not breathe gas/vapour/aerosol.

In case of inadequate ventilation wear respiratory protection.

Avoid: generation/formation of aerosols

Avoid contact with eyes and skin.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Further information on handling

Use only in well-ventilated areas. When using do not eat, drink, smoke, sniff.

when using do not eat, drink, smoke, shin.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep away from: Frost, Heat, Humidity

7.3. Specific end use(s)

for professional use only

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
57-55-6	Propane-1,2-diol					
Worker DNEL, long-term		inhalation	systemic	168 mg/m³		
Worker DNEL, long-term		inhalation	local	10 mg/m³		
Consumer DNEL, long-term		inhalation	systemic	50 mg/m³		
Consumer DNEL, long-term		inhalation	local	10 mg/m³		

Page 3 of 8

according to Regulation (EC) No 1907/2006_2015/830

Kühlflüssigkeit HKF 15.1 P-120 Eco

Revision date: 30.10.2020

Page 4 of 8

PNEC values

CAS No	Substance				
Environmental compartment		Value			
57-55-6	Propane-1,2-diol				
Freshwater		260 mg/l			
Freshwater (intermittent releases)		183 mg/l			
Marine water		26 mg/l			
Freshwater sediment		572 mg/kg			
Marine sediment		57,2 mg/kg			
Micro-organisms in sewage treatment plants (STP)		20000 mg/l			
Soil		50 mg/kg			

Additional advice on limit values

To follow: National regulations/ Occupational exposure limit values

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Work in well-ventilated zones or use proper respiratory protection.

Only wear fitting, comfortable and clean protective clothing.

Avoid contact with skin, eyes and clothes.

Wash hands before breaks and after work.

Wash hands before breaks and after work.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink, smoke, sniff.

Use protective skin cream before handling the product.

Eye/face protection

Eye glasses with side protection

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber). (DIN EN 374)

Thickness of the glove material:>= 0,11 mm

Breakthrough time (maximum wearing time): > 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. generation/formation of aerosols: Combination filtering device (EN 14387), Filtering device (full mask or mouthpiece) with filter: A2 P2;Colour:brown, white

Environmental exposure controls

No information available.

according to Regulation (EC) No 1907/2006_2015/830

Kühlflüssigkeit HKF 15.1 P-120 Eco

Revision date: 30.10.2020

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid		
Colour: Odour:	colourless characteristic		
Odoul:	Characteristic		Test method
pH-Value (at 20 °C):		Q /	DIN 38404 C5
,		0,4	DIN 36404 C5
Changes in the physical state			
Melting point: Initial boiling point and boiling range:		ot determined ot determined	
Sublimation point:		ot determined	
Softening point:		ot determined	
Pour point:		ot determined	
Solidifying point:		~ -16 °C	
Flash point:		>120 °C	
Flammability			
Solid:		not applicable	
Gas:	1	not applicable	
Explosive properties not explosive.			
Lower explosion limits:	n	ot determined	
Upper explosion limits:	ne	ot determined	
Ignition temperature:	No informat	tion available.	
Auto-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Decomposition temperature:	ne	ot determined	
Oxidizing properties No information available.			
Vapour pressure:	n	ot determined	
Density:		1,02 g/cm ³	
Water solubility:		easily soluble	
Solubility in other solvents not determined			
Partition coefficient:	ne	ot determined	
Vapour density:	n	ot determined	
Evaporation rate:	n	ot determined	
Solvent separation test:	No informat	tion available.	
9.2. Other information			
Solid content:	n	ot determined	
freezing point: ca14 °C protection against cold: ca15 °C Conductivity: < 25 μS/cm			

Page 5 of 8

according to Regulation (EC) No 1907/2006_2015/830

Kühlflüssigkeit HKF 15.1 P-120 Eco

Revision date: 30.10.2020

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Reference to other sections: 7

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested. Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Readily biodegradable (according to OECD criteria). OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A : > 70% (28 d) Corrosion inhibitor : OECD 302B/ ISO 9888/ EEC 92/69/V, C.9 OECD 302B/ ISO 9888/ EEC 92/69/V, C.9 : 100% (7 d) Chemical oyxgen demand (COD): 540 mg/g (DIN 38409-H41)

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Page 6 of 8

according to Regulation (EC) No 1907/2006_2015/830

Kühlflüssigkeit HKF 15.1 P-120 Eco

Revision date: 30.10.2020

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. non-hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: no 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Page 7 of 8

according to Regulation (EC) No 1907/2006_2015/830

Kühlflüssigkeit HKF 15.1 P-120 Eco

Revision date: 30.10.2020 Page 8 of 8 EU regulatory information Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III): Additional information To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC National regulatory information Water contaminating class (D): 1 - slightly water contaminating 15.2. Chemical safety assessment Chemical safety assessments for substances in this mixture were not carried out. **SECTION 16: Other information** Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID:Règlement international conernat le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) CAS: Chemical Abstracts Service (division of the American Chemical Society) GHS: Globally Harmonized System of Classification and Labelling of Chemicals CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures, LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent EC50: Effectice concentration, 50 percent DNEL: Derived No Effect Level PNEC: Predicted No Effect Concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)